

20w Solar Flood light

Model - SFSOLFL20UNI2-LI



The UNI2 Solar flood light is slimline, compact and aesthetically pleasing which incorporates all components together in a modern and robust design.

This model is supplied with a 20w Philips SMD LED flood with a lumen output of 130lm/w.

Lighting profile 5Hrs 100%, 8Hrs 70% as standard to increase battery life & performance

Designed to operate for 13 hours per night

The battery is designed for 13Hrs with 3 nights of reserve and requires 5 hours to replenish.

Multiple LED luminaire options for different lighting applications with lens options

Smart 365 technology ensuring your light runs all year.

Light distribution is 120 degrees.


Designed for easy maintenance without having to remove the system from the pole or solar panels.

This model is supplied with single a solar panel

SUNFAR
TECHNOLOGIES
LOCALLY MANUFACTURED LED AND SOLAR LED LIGHTING

Model - SFSOLFL20UNI2-LI

LIGHT	Power	20W
	LED	Philips
	IP Rating	IP 65
	Flux @ CCT 5700 - 6000K	2600lm
	CRI - Colour Rendering Index	80
	Optical control	Glass Lens
	Average Lifespan	8 years
	Operating temperature	-30 Deg ~ + 45 Deg
	Mounting height	4.5 - 5m meter above surface
	Beam angle	120 degree
	Lumen per watt	130
	Pole to pole distance	15 meters
	BATTERY	Lithium LIFEPO4
Voltage		12.8v
Watt Hours		444Wh
Lifespan		2000 cycles
SOLAR PANEL	Power	80w
	Voltage	18v
	Maximum current Charging	4.4 Amp
CONTROLLER	method Dimming	PWM
	parameters	100 / 70 / 50 & 30%
	Day night sensor	Integrated Day / Night sensor
	Lighting parameters	4 stage programmable
	Electrical parameters	Temperature compensation Overheating, overcharging and over discharging protections
BRACKETING AND BATTERY BOXES	A Grade steel treated with anti rust and powder coated Manufactured in an SABS approved facility with ISO 9001 - 3CR12 stainless steel optional	
POLE	Galvanized with an option to powder coat - 5m (89mm - 76 collar)	
WARRANTY	3 years on all components - option to extend	



Warranty

LED Luminaire - 5 years LED, 10 years on housing
Electronics including battery - 3 years - option to extend
Pole - 10 years workmanship
Solar panel - Tier 1 - 12 years, 25 years performance